

Recent Publications

[Bangalore S, Fakhri R, Wandel S, et al. Renin angiotensin system inhibitors for patients with stable coronary artery disease without heart failure: systematic review and meta-analysis of randomized trials. *BMJ*. 2017 Jan 19;356:j4.](#)

[Bahiru E, de Cates AN, Farr MR, et al. Fixed-dose combination therapy for the prevention of atherosclerotic cardiovascular diseases. *Cochrane Database Syst Rev*. 2017 Mar 6;3:CD009868.](#)

[Chang M, Lee CW, Ahn JM, et al. Outcomes of Coronary Artery Bypass Graft Surgery Versus Drug-Eluting Stents in Older Adults. *J Am Geriatr Soc*. 2017 Feb 6.](#)

[Clar C, Al-Khudairy L, Loveman E, et al. Low glycaemic index diets for the prevention of cardiovascular disease. *Cochrane Database Syst Rev*. 2017 Jul 31;7:CD004467.](#)

[Franco L, Giustozzi M, Agnelli G, et al. Anticoagulation in patients with isolated distal deep vein thrombosis: a meta-analysis. *J Thromb Haemost*. 2017 Mar 17.](#)

[Garrison SR;Kolber MR;Korownyk CS;McCracken RK;Her Blood pressure targets for hypertension in older adults. *Cochrane Database Syst Rev*. 2017 Aug 8;8:CD011575.](#)

[Grossman DC, Bibbins-Domingo K, Curry SJ, et al. Behavioral Counseling to Promote a Healthful Diet and Physical Activity for Cardiovascular Disease Prevention in Adults Without Cardiovascular Risk Factors: US Preventive Services Task Force Recommendation Statement. *JAMA*. 2017 Jul 11;318\(2\):167-174.](#)

[Hao XY, Li HL, Su H, et al. Topical phenytoin for treating pressure ulcers. *Cochrane Database Syst Rev*. 2017 Feb 22;2:CD008251. doi: 10.1002/14651858.CD008251.pub2.](#)

[Hovaguimian F;Koppel S;Spahn DR Safety of Anticoagulation Interruption in Patients Undergoing Surgery or Invasive Procedures: A Systematic Review and Meta-analyses of Randomized Controlled Trials and Non-randomized Studies. *World J Surg*. 2017 Jun 12.](#)

[Karmali KN, Persell SD, Perel P, et al. Risk scoring for the primary prevention of cardiovascular disease. *Cochrane Database Syst Rev*. 2017 Mar 14;3:CD006887.](#)

[Kessler D, Liddy C An integrative literature review to examine the provision of self-management support following transient ischaemic attack. *J Clin Nurs*. 2016 Dec 21.](#)

[Melkonian M, Jarzebowski W, Pautas E, et al. Bleeding risk of antiplatelet drugs compared with oral anticoagulants in older patients with atrial fibrillation: a systematic review and meta-analysis. *J Thromb Haemost*. 2017 Apr 10.](#)

[Middleton S, Coughlan K, Mnatzaganian G, et al. Mortality Reduction for Fever, Hyperglycemia, and Swallowing Nurse-Initiated Stroke Intervention: QASC Trial \(Quality in Acute Stroke Care\) Follow-Up. *Stroke*. 2017 May;48\(5\):1331-1336. doi: 10.1161/STROKEAHA.116.016038.](#)

[Oosterveen E, Tzelepis F, Ashton L, et al. A systematic review of eHealth behavioral interventions targeting smoking, nutrition, alcohol, physical activity and/or obesity for young adults. *Prev Med*. 2017 Jan 25;99:197-206.](#)

[Park M, Song R, Jeong JO Effect of goal attainment theory based education program on cardiovascular risks, behavioral modification, and quality of life among patients with first episode of acute myocardial infarction: Randomized study. Int J Nurs Stud. 2017 Feb 24;71:8-16.](#)

[Ray KK, Landmesser U, Leiter LA, et al. Inclisiran in Patients at High Cardiovascular Risk with Elevated LDL Cholesterol. N Engl J Med. 2017 Mar 17.](#)

[Robertson L, Strachan J Subcutaneous unfractionated heparin for the initial treatment of venous thromboembolism. Cochrane Database Syst Rev. 2017 Feb 14;2:CD006771.](#)

[Sandercock PA, Leong TS Low-molecular-weight heparins or heparinoids versus standard unfractionated heparin for acute ischaemic stroke. Cochrane Database Syst Rev. 2017 Apr 4;4:CD000119.](#)

[Schandelmaier S, Briel M, Saccilotto R, et al. Niacin for primary and secondary prevention of cardiovascular events. Cochrane Database Syst Rev. 2017 Jun 14;6:CD009744.](#)

[Stead LF, Carroll AJ, Lancaster T Group behaviour therapy programmes for smoking cessation. Cochrane Database Syst Rev. 2017 Mar 31;3:CD001007.](#)

[Sterne JA, Bodalia PN, Bryden PA, et al. Oral anticoagulants for primary prevention, treatment and secondary prevention of venous thromboembolic disease, and for prevention of stroke in atrial fibrillation: systematic review, network meta-analysis and cost-effectiveness analysis. Health Technol Assess. 2017 Mar;21\(9\):1-386.](#)

Janice D. Nunnelee PhD RN
Practice & Research Committee